




**ND**  
SUBLIME

**nature**  
DECO  
REGULAR

## MOTIONBLINDS

Explore motorized roller blinds  
and roll-ups crafted from  
natural materials

 powered by  
Motionblinds






This Motionblinds brochure provides clear answers for the most common home automation scenarios:

- 1 You do not have a smart home system and do not wish to purchase one.
- 2 You have a smart home system with a border router that does not yet support Matter.
- 3 You have a smart home system with a border router that supports Matter.




# THE SMARTEST SOLUTION FOR SHADING

With **Motionblinds**, setting up and automating your blinds has never been easier. Within a minute, you can connect via Bluetooth and control your blinds using the Motionblinds app. If additional connectivity is needed, a Wi-Fi bridge enables integration with smart home platforms such as Google Home, Amazon Alexa, and Samsung SmartThings.




Childproof  
without loops




## You do not have a smart home system

You need our [Motionblinds Bluetooth App](#). Download the Motionblinds app on smartphone or tablet. (For motors CM-03, CM-06, CM-07, CM-09-QC, CM-10-QC)



## You have a smart home system with a border router that does not yet support Matter

You need our [Motionblinds Bluetooth App](#) and the [Motionblinds Bridge App](#), as well as our Wi-Fi Bridge, which connects your product to, Google Home, Amazon Alexa, Samsung SmartThings or other smart home systems (does not work with Apple Home). (For motors CM-03, CM-06, CM-07, CM-09-QC, CM-10-QC)




## You have a smart home system with a border router that supports Matter

You use your smart home platform's application to add your window decoration. You do not need an additional Wi-Fi Bridge, which connects the window decoration to your border router-devices. Go to [Evehome.com](http://Evehome.com) and check which border router will work for your system. (For motors CM-03-E, CM-06-E-R/V)

**1** You do not have a smart home system


**1. Download the Bluetooth app**

Download the Motionblinds Bluetooth app. With this app, your product works in just a few easy steps. You can find the app in the App Store (Apple) or Play Store (Android).



**2. Select your product**


Open the Motionblinds Bluetooth app and press the icon of the product you want to set up.




**3. Scan the QR code**

① Scan the QR code on the antenna cable in the top box (CM-07, CM-09-QC, CM-10-QC) or on the tassel (CM-03, CM-06) and program the product.


② You can search the product with this Bluetooth function e.g. if the product is already mounted.






**4. Operation with the app**

With Bluetooth, you control your product up to a distance of 10 meters. If the distance is greater, you need our CM-20 Wi-Fi bridge that establishes a Wi-Fi connection.



**5. Automation with timers**

Through the Motionblinds Bluetooth app, you can program timers into the motor, which allow you to have the product move on autopilot to preset positions at set times.









**2** You have a smart home system with a border router that does not yet support Matter

**1. Download the Bluetooth app**

Download the Motionblinds Bluetooth app. This app allows you to set up your product yourself in just a few easy steps. You can find the app in the App Store (Apple) or Play Store (Android).

WITHOUT REGISTRATION

**2. Select your product**

Open the Motionblinds Bluetooth app and press the icon of the product you want to set up.

**3. Scan the QR code**

① Scan the QR code on the antenna cable in the top box (CM-07, CM-09-QC, CM-10-QC) or on the tassel (CM-03, CM-06) and program the product.

② You can search the product with this Bluetooth function e.g. if the product is already mounted.

①

②

**4. Download the Bridge app**

Download the Motionblinds Bridge app. With this app, your product works in just a few easy steps. You can find the app in the App Store (Apple) or Play Store (Android).

WITH REGISTRATION

**5. Install the Bridge**

The Motionblinds Bridge is an additional device added to your home that must be paired with the window coverings to control them. Setting up and controlling the Motionblinds Wi-Fi bridge should be done with the Motionblinds Bridge app.

CM-20 Wi-Fi Bridge

**6. Automation**

Automate your blinds by creating rooms, scenes and timers programmed into the bridge. Up to 30 window decoration products can be connected per bridge with up to 20 scenes and 20 timers.



**7. Scenes**

Here you can store your window decoration in your favorite pre-programmed position.

**8. Timers**

You can also program timers into the motor, which allow you to have the product move on autopilot to preset positions at set times.



















































**9. Connect to your platform**

After connecting the bridge to Google, Alexa or SmartThings, for example, you control the product from your favorite smart home platform. Here your blinds can interact with other smart devices.


































Motionblinds Motors

Collection	Motors	Type	Minimum width	approx. max. size (WxH)	Power supply	Product type	Childsafe	Handoperation	Remote control	App operation	smart home	Bluetooth	Switch	Radio
Regular	CM-03	1.1Nm battery motor	62 cm	230x220 cm	12V, integrated battery, USB-C rechargeable									
Regular Sublime	CM-06	6.0 Nm battery motor	roller curtain: 77 cm folding curtain: 85 cm roll up: 85 cm louver: 85 cm	350 x 400 cm	12 V, integrated battery, USB-C rechargeable	   								
Regular Sublime	CM-07 (inkl. CM-38)	0.8 Nm battery mid-motor	67 cm	300 x 350 cm	12 V, separate battery, USB-C rechargeable									
Regular Sublime	CM-09-QC	4.0 Nm radio motor	70 cm	350 x 400 cm	230 V cable	  								
Regular Sublime	CM-10-QC	8.0 Nm radio motor	75 cm	350 x 400 cm	230 V cable									
Regular Sublime	CM-09-QMC	4.0 Nm mechanical motor, also suitable for Bus systems	70 cm	350 x 400 cm	230 V cable	  								
Regular Sublime	CM-10-QMC	8.0 Nm mechanical motor, also suitable for Bus systems	75 cm	350 x 250 cm	230 V cable									

Eve Motionblinds Motors

Collection	Motors	Type	Minimum width	approx. max. size (WxH)	Power supply	Product type	Childsafe	Handoperation	Remote control	App operation	Smart home	Bluetooth	Thread	Matter
Regular	CM-03-E	1.1 Nm battery motor	62 cm	280x250 cm	integrated battery, USB-C rechargeable									
Regular Sublime	CM-06-E-R	6.0 Nm battery motor	85 cm	350 x 400 cm	integrated battery, USB-C rechargeable	  								
Regular Sublime	CM-06-E-V	6.0 Nm battery motor	85 cm	350 x 400 cm	integrated battery, USB-C rechargeable									



Roller Blind



Jealousy



Roman blinds




Roll Up





# READY FOR THE FUTURE

**Eve Motionblinds** are the world's first smart motors for window coverings that support Thread and Matter, the cutting-edge technologies shaping the future of smart homes. With this innovation, they seamlessly integrate with Apple HomeKit, Google Home, Amazon Alexa, Samsung SmartThings, and other Matter-supported platforms, offering effortless control and enhanced automation.



Check [Evehome.com](https://evehome.com) to see which border router is compatible with your system. A Thread border router connects Thread devices to an IP network, such as Wi-Fi or Ethernet. This enables seamless control of all your Thread-enabled smart devices via your smartphone. You can also integrate them into a smart home hub or connect them to cloud services like IFTTT or Google Home.



**3** You have a smart home system with a border router that supports Matter

**1. Do you have the right border router?**

Make sure you are using the correct border router in your home by visiting the following link: [Evehome.com](https://evehome.com)

works with  
Google Home


Works with  
Apple Home

Works with  
Samsung SmartThings

works with  
alexa


**2. Scan the QR code of the window decoration**

Open the app of your smart home platform, select the add accessories option and scan the Matter installation code on the tassels of the motors CM-03-E, CM-06-E-R/V.




**3. Changing the end positions**


The end positions of your window decoration are already set. But you can change them using the pull function. After setting the end positions you can operate your product from your platform.



**4. Automate with scenes (favorite settings)**

Create automations in the app of your smart home platform to put your window decoration on autopilot and communicate with other smart home accessories.






RAFFROLLO ULTRA SYSTEM, ENDLOSKETTE  
WOVEN BAMBOO THIN STICKS



# MANUAL OPERATION NO APP REQUIRED

Motionblinds can also be operated manually, without an app. A simple tug on the cord allows you to open, close, or adjust your blinds with ease. This intuitive design provides hassle-free control while maintaining a sleek, stylish look. With just one cord or chain, there is no risk of tangling or loops, ensuring enhanced child safety in any environment.



Childproof  
without loops



Childproof  
without loops












# ROLLER BLIND

## Motion Battery CM-03/06, CM-03-E/06-E-R


For our roller blinds, we use cable-free rechargeable battery motors such as Motionblinds Bluetooth motors CM-03/06 and Eve Motionblinds Thread/Matter motors CM-03-E/06-E-R. These motors are suitable for application in smart homes. Manual operation without an app is also possible. With a short pull you operate the product. Since there is only one cord or chain, it cannot get tangled, or form a loop. Child safety is thus guaranteed.

**Characteristics:**

- no 230V power connection required
- easy to charge with USB-C cable
- CM-03/06 motors are suitable for smart home with an additional bridge
- CM-03-E/06-E-R motors work with smart home platforms without additional bridge (matching border routers with Thread and Matter required)
- cable-free installation just like a normal roller blind
- simply scan the QR code embedded in the cord weight and program the blind through the app
- remote control possible
- no additional child safety component required



Roller blind with wall mounting



Roller blind with ceiling mounting



CM-06-E-R



CM-06

- ① roller blind tube 42/50 mm with integrated Motionblinds battery motor
- ② metal ceiling and wall support made of plastic or metal
- ③ USB-C charging port easily accessible
- ④ LED battery display
- ⑤ control button for end position and reset programming (setting end positions with Motionblinds Bluetooth App)
- ⑥ USB-C charging cable (optional)
- ⑦ cord/chain button with QR code
- ⑧ control cord/chain for quick manual operation




# ROLLER BLIND

## Motion 230V, CM-09-QC, CM-09-QMC


If a 230V power connection is available, we use the CM-09-QC wired motor, which is also equipped with Bluetooth. The QR code is attached to the motor's antenna and must be scanned via the Motionblinds Bluetooth app before installation. With a bridge, this motor can also be integrated into smart homes. Manual operation as with the CM-06 motors is not possible, remote control operation is. The cabled motor CM-09-QMC is a mechanical motor that can be operated with a switch (not included). This motor has none of the other control options mentioned above, but it is suitable for Bus systems.

**Characteristics:**


- 230V power connection required
- CM-09-QC motors are suitable for smart home with an additional bridge and controlbar mittels remote control or App
- CM-09-QMC-are mechanical motors and only operable with a switch, also suitable for Bus systems
- remote control possible
- no additional child safety component required



Roller blind with wall mounting



Roller blind with ceiling mounting



- ① roller blind tube 42/50 mm with integrated radio or mechanical motor
- ② metal ceiling and wall support made of plastic or metal
- ③ 230V power cable
- ④ bluetooth radio antenna with QR code
- ⑤ control button for end position and reset programming (setting end positions with Motionblinds Bluetooth App)







# BLINDS 50/65 MM

## Motion Battery CM-06, CM-06-E-R


Our 50 mm blinds are equipped with the cable-free Motionblinds Bluetooth motor CM-06 or Eve Motionblinds Thread motor CM-06-E-V. These motors are suitable for application in smart homes. Manual operation without an app is also possible. With a short tug you operate the blind, both tilting and opening and closing. It couldn't be easier, and it also looks stylish. Because there is only one cord or chain, it cannot get tangled, or form a loop. Child safety is guaranteed with this.



50 mm wooden blind with CM-06 / CM-06-E-V battery motor

### Characteristics:

- no 230V power connection required
- easy to charge with USB-C cable
- the CM-06 motor is suitable for smart home with an additional bridge
- the CM-06-E-V motor works with smart home platforms without an additional bridge (matching border routers with Thread and Matter required)
- cable-free installation just like a normal blind
- scan the QR code embedded in the cord button and program the blind via the app
- remote control possible
- no additional child safety component required



CM-06-E-V



CM-06

- ① aluminum top box with integrated battery motor
- ② wooden cove
- ③ USB-C charging port easily accessible
- ④ lanyard button with QR code
- ⑤ control cord for quick manual operation
- ⑥ USB-C charging cable (optional)

# BLINDS 50/65 MM

## Motion 230V, CM-10-QC, CM-10-QMC

If a 230V power connection is available, we use the wired motor CM-10-QC, which is also equipped with Bluetooth. The QR code is attached to the antenna of the motor and must be scanned via the Motionblinds Bluetooth app before installation. With a bridge, this motor can also be integrated into smart homes. Manual operation as with the CM-06 / CM-06-E-V motors is not possible, remote control operation is. Wired motor CM-10-QMC is a mechanical motor that can be operated with a switch (not included). This motor has none of the other control options mentioned above, but it is suitable for Bus systems.

### Characteristics:

- 230V power connection required
- CM-10-QC motors are suitable for smart home with an additional bridge and controlbar mittels remote control or App
- CM-10-QMC-are mechanical motors and only operable with a switch, also suitable for Bus systems
- remote control possible
- no additional child safety component required



CM-10-QC radio motor

- ① steel or aluminum top box with integrated Motionblinds radio motor
- ② wooden cove
- ③ Bluetooth antenna with QR code
- ④ 230V power cable/radio cable



# VENETIAN BLIND 25 MM

## Motion Battery CM-07

For our 25 mm blinds, we use the battery motor CM-07 which is connected to the USB-C rechargeable battery CM-38. Both the motor and the battery are fully integrated into the steel casing system. The motor CM-07 has Bluetooth technology and, after installing the Wi-Fi bridge, is suitable for smart home integration. The QR code is attached to the motor's antenna and must be scanned via the Motionblinds Bluetooth app **before installation**. The blind can then be controlled and automated via this app, or with a remote control.



25 mm wooden blind with CM-07 battery motor

### Characteristics:

- no 230V power connection required
- easy to charge with USB-C cable
- CM-07 motors are suitable for smart home with an additional bridge
- cable-free installation just like a normal blind
- simply scan the QR code in the top box
- remote control possible
- no additional component needed for child safety
- no cove required, top box in the same color as the slats (with oiled slats custom top box)



CM-07

- ① 25 mm steel top box with integrated Motionblinds battery motor
- ② USB-C charging port easily accessible (no cove possible)
- ③ USB-C charging cable (optional)



JALOUSIE SOLID SYSTEM MOTION 230V, OILED SLATS  
INTERIOR DESIGN BY FABERGÉ







# ROMAN BLINDS

## Ultra System, Motion Battery CM-07

For our folding curtain we use the battery motor CM-07 which is connected to the USB-C rechargeable battery CM-38. Both the motor and the battery are fully integrated into the aluminum overhead system. The motor CM-07 has Bluetooth technology and, after installing the Wi-Fi bridge, is suitable for smart home integration. The QR code is attached to the motor's antenna and must be scanned via the Motionblinds Bluetooth app **before installation**. Then the folding curtain can be controlled and automated via this app, or with a remote control.

**Characteristics:**

- no 230V power connection required
- wireless motor with rechargeable battery
- easy to charge with USB-C cable (not included)
- CM-07 is ready for smart home with an additional bridge
- cable-free installation just like a normal folding curtain
- simply scan the QR code on the antenna and program the folding curtain via the Motionblinds Bluetooth app
- remote control possible
- no additional child safety component required



- ① aluminum top box (back) in white or black with integrated Motionblinds motor and battery
- ② USB-C charging port easily accessible
- ③ USB-C charging cable (optional)



RAFFROLLO SOLID SYSTEM MOTION 230V, WOVEN BAMBOO FLAT STICKS  
INTERIEUR DESIGN BY FABERGÉ






# FOLDING CURTAIN

## Motion Battery CM-06, CM-06-E-R

For our roman blinds, we use cable-free rechargeable battery motors such as the Motionblinds Bluetooth motor CM-06 and the Eve Motionblinds Thread motor CM-06-E-R. These motors are suitable for application in smart homes. Manual operation without an app is also possible. With a short tug you operate the product. Because there is only one cord or chain, it cannot get tangled, or form a loop. Child safety is thus guaranteed.



Roman blinds with CM-06 / CM-06-E-R battery motor

### Characteristics:

- no 230V power connection required
- easy to charge with USB-C cable
- CM-06 motors are suitable for smart home with an additional bridge
- CM-06-E-R motors work with smart home platforms without additional bridge (matching border routers with Thread and Matter required)
- cable-free installation just like a normal folding curtain
- simply scan the QR code embedded in the cord button and program the folding curtain via the app
- remote control possible
- no additional child safety component required



CM-06-E-R



CM-06

- ① aluminum top box with integrated Motionblinds battery motor
- ② antenna for remote control and bridge (CM-20)
- ③ antenna for Bluetooth
- ④ USB-C cable for charging (not included)
- ⑤ control cord for quick manual operation
- ⑥ lanyard button with QR code
- ⑦ wall and ceiling support




# FOLDING CURTAIN

## Motion 230V CM-09-QC, CM-09-QMC

If a 230V power connection is available, we use the CM-09-QC wired motor, which is also equipped with Bluetooth. The QR code is attached to the motor's antenna and must be scanned via the Motionblinds Bluetooth app **before installation**. With a bridge, this motor can also be integrated into smart homes. Manual operation as with the CM-06-E-R motor is not possible, remote control operation is. The wired motor CM-09-QMC is a mechanical motor that can be operated with a switch (not included). This motor has none of the other control options mentioned above, but it is suitable for Bus systems.

### Characteristics:

- 230V power connection required
- CM-09-QC motors are suitable for smart home with an additional bridge and controlbar mittels remote control or App
- CM-09-QMC-are mechanical motors and only operable with a switch, also suitable for Bus systems
- remote control possible
- no additional child safety component required



folding curtain: CM-09-QC radio motor

- ① aluminum top box with integrated Motionblinds radio motor
- ② 230V power cable
- ③ bluetooth/radio antenna with QR code
- ④ wall and ceiling support










# ROLL UP

## Motion Battery CM-06, CM-06-E-R

For our Roll Ups, we use cable-free rechargeable battery motors such as the Motionblinds Bluetooth motor CM-06 and the Eve Motionblinds Thread motor CM-06-E-R. These motors are suitable for application in smart homes. Manual operation without an app is also possible. With a short tug you operate the product. It couldn't be easier, and it also looks stylish. Since there is only one cord or chain, it cannot get tangled, or form a loop. Child safety is thus guaranteed.



Roll Up with CM-06 / CM-06-E-R battery motor

### Characteristics:

- no 230V power connection required
- easy to charge with USB-C cable
- CM-06 motors are suitable for smart home with an additional bridge
- CM-06-E-R motors work with smart home platforms without additional bridge (matching border routers with Thread and Matter required)
- cable-free installation just like a normal Roll Up
- simply scan the QR code embedded in the cord button and program the Roll Up via the app
- remote control possible
- no additional child safety component required



CM-06-E-R



CM-06

- ① aluminum top box with integrated Motionblinds battery motor
- ② antenna for remote control and bridge (CM-20)
- ③ antenna for Bluetooth
- ④ USB-C cable for charging (not included)
- ⑤ control cord for quick manual operation
- ⑥ lanyard button with QR code
- ⑦ wall and ceiling support



# ROLL UP

## Motion 230V CM-09-QC, CM-09-QMC

If a 230V power connection is available, we use the CM-09-QC wired motor, which is also equipped with Bluetooth. The QR code is attached to the motor's antenna and must be scanned via the Motionblinds Bluetooth app **before installation**. With a bridge, this motor can also be integrated into smart homes. Manual operation as with the CM-06 motors is not possible, remote control operation is. Wired motor CM-09-QMC is a mechanical motor that can be operated with a switch (not included). The CM-09-QMC is suitable for Bus systems.

### Characteristics:

- 230V power connection required
- CM-09-QC motors are suitable for smart home with an additional bridge and controlbar mittels remote control or App
- CM-09-QMC-are mechanical motors and only operable with a switch, also suitable for Bus systems
- remote control possible
- no additional child safety component required



Roll Up: CM-09-QC radio motor

- ① aluminum top box with integrated Motionblinds radio motor or mechanical 230V power
- ② cable/radio cable
- ③ bluetooth/radio antenna with QR code







